_1				
,		Application No.	Applicant(s)	
		09/859,609	NAITO ET AL.	
	Notice of Allowability	Examiner	Art Unit	
		Sathyanarayan Pannala	2167	
h N	The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 4/21/2005.				
2. The allowed claim(s) is/are 20-23, 25-29 and now renumbered as 1-9.				
3. The drawings filed on 17 May 2001 are accepted by the Examiner.				
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>				
	Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of ENT of this application.	complying with the requirements	
5	<ul> <li>A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ul>	tted. Note the attached EXAMINER' is reason(s) why the oath or declarat	S AMENDMENT or NOTICE OF tion is deficient.	
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>				
1.	ttachment(s)  Notice of References Cited (PTO-892)	•	atent Application (PTO-152)	
	. □ Notice of Draftperson's Patent Drawing Review (PTO-948) 6. ☑ Interview Summary (PTO-413), Paper No./Mail Date 6/23/2005.			
	Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	3), 7 ⊠ Examiner's Amendm	nent/Comment	
4.	☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	•	nt of Reasons for Allowance	
	MOHAMMA PRIMARY EX	9. Other AD ALI AMINER	Sathyanarayan Pannala Patent Examiner Art Unit 2167	

Application/Control Number: 09/859,609

Art Unit: 2167

Page 2

# **DETAILED ACTION**

# **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Josh Dobrowitsky on 6/23/2005.

2. The application has been amended as follows:

Title: Delete Information Retrieval System and

**Insert** as <u>Information Retrieval System for Documents</u>

Claim 20:

Line 1: Insert An Information retrieval computer implemented system

Claim 21:

Line 1: Insert An Information retrieval computer implemented system

Claim 22:

**Line 1: Insert** The Information retrieval <u>computer implemented</u> system

Application/Control Number: 09/859,609 Page 3

Art Unit: 2167

#### Claim 23:

**Line 1: Insert** An Information retrieval computer implemented system

Claim 25:

**Line 1: Insert** The Information retrieval computer implemented system

Claim 26:

Line 1: Insert An Information retrieval computer implemented system

Claim 27:

**Line 1: Insert** The Information retrieval computer implemented system

Claim 28:

**Line 1: Insert** The Information retrieval computer implemented system

Claim 29:

**Line 1: Insert** The Information retrieval <u>computer implemented</u> system

### **Reasons for Allowance**

- 1. The following is an examiner's statement of reasons for allowance:
  - Prior art of record fails to teach "a ratio between the minimum value and the maximum value of the sum of the weight of the keywords in the feature amount is large." This claimed element is in independent claims 20-21, 23 and 26.
  - Herz (US Patent 5,909,638) teaches customizing electronic identification of desirable objects, such as news articles, in an electronic media environment,

and in particular to a system that automatically constructs both a "target profile" for each target object in the electronic media.

- Applicant's argument in the Amendment filed on 4/21/2005 on page 14, paragraph first, on page 15, paragraph first and on page 17, paragraph second are persuasive and convincing.
- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sathyanarayan Pannala whose telephone number is (571) 272-4115. The examiner can normally be reached on 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on (571) 272-4107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/859,609

Art Unit: 2167

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sathyanarayan Pannala Examiner

Art Unit 2177

srp

June 24, 2005

MOHAMMAD ALI PRIMARY EYAMINED